

ROVO FABRICS

FABRIC GROUP 1


BONDAI




Character:
Fine crepe weave
100% polyester
350 g weight per linear meter
140 cm width
150000 rubs (Martindale)
(5 years warranty)
6 light fastness
4/5 fastness to rubbing
EN 1021-1/-2 flammability
CRIB5, BS 7176
medium hazard



0-44 orange




0-43 rot



0-40 weinrot




0-47 grasgrün




0-48 ocean




0-49 dunkelblau




0-38 blau



0-46 grün



0-42 beige




0-36 braun



0-41 grau




0-60 anthrazit




0-39 schwarz


ERA



Character:
100% polyester
320 g weight per linear meter
140 cm width
100000 rubs (Martindale)
(10 years warranty)
5 light fastness
4 (dry), 4 (wet)
fastness to rubbing
EN 1021-1/-2 flammability
BS 7176 Low Hazard




1-20 gelb



1-22 grün



1-47 dunkelblau



1-19 anthrazit



1-18 schwarz

SUPERO*




Character: Feine Kreppoptik
Fine crepe weave
100% Xtreme (polyester) Stretch
400 g weight per linear meter
140 cm width
100000 rubs (Martindale)
(5 years warranty)
6 light fastness
4 (dry), 4 (wet)
fastness to rubbing
EN 1021-1/-2 flammability

* Supero is available
in price group 3 in
these and further colors
in low-flammability
quality (M1/B1)
(=Trevira CS)




1-05 lobster




1-06 rot



1-74 aubergine



1-72 royalblau



1-07 ocean




1-73 dunkelblau




1-82 violett



1-81 grau



1-75 anthrazit



1-76 schwarz

FABRIC GROUP 1

SUPERO PLUS




Character:
Fine crepe weave
100% polyester - Trevira CS
420 g weight per linear meter
140 cm width
100000 rubs (Martindale),
(5 years warranty)
6 light fastness
4/5 fastness to rubbing
EN 1021-1/-2 flammability
C1, B1, M1, CRIB 5,
IMO A 652 (16)




1-77 rot-melange




1-78 blau-melange



1-31 nachtblau



1-09 schwarz



1-30 rot-kariert



1-28 anthrazit-kariert



1-79 grau-melange



1-80 schwarzbraun-melange

FABRIC GROUP 2

ATLANTICO




Character:
Exciting contemporary
fabric with textured surface
100% polyester
530 g weight per linear meter
150 cm width
110000 rubs (Martindale)
(10 years warranty)
5 light fastness
4-5 (dry), 4-5 (wet)
fastness to rubbing
EN 1021-1/-2 flammability




2-00 lachsrot



2-01 rot



2-03 anthrazit



2-04 schwarz



2-06 kiwi



2-07 violett



2-08 gletscher




2-11 blau


PRONTO

Character:
Imitation leather with light wrinkles
88% PVC, 12% PES/BW-fabrics,
680 g/m2 weight, 140 cm width
- easy to clean
- soft supple
- good touch
- elastic
- abrasion resistant
- tear resistant
- urine and blood resistant
- resistant to desinfections


not available for all models




2-45 weiß




2-46 rot



2-47 blau



2-48 grau



2-49 schwarz

ROVO FABRICS

FABRIC GROUP 2


MICRO




Character:
Exciting contemporary fabric
Comfort-Microfiber
100% polyester
370 g weight per linear meter
150 cm width
30000 rubs (Martindale)
4 light fastness
4 (dry), 4 (wet)
fastness to rubbing
EN 1021 flammability



2-18 blu



2-19 grigio




2-28 nero

FAME




Character:
Fine wool crepe weave
100% worsted wool
520 g weight per linear meter
140 cm width
50000 rubs (Martindale)
(5 years warranty)
5 light fastness
4-5 (dry), 4-5 (wet)
fastness to rubbing
EN 1021-1/-2 flammability
DIN 4102 B2, BS 5852,
NF-P-92503 M2




3-66 aubergine



3-60 rot



3-61 blau



3-62 dunkelblau



3-63 anthrazit




3-64 schwarz

FABRIC GROUP 3


CLIMATEX



Character:
High Tech fiber
breathable and elastic
100% polyester
510 g weight per linear meter
160 cm width
70000 rubs (Martindale)
(10 years warranty)
5 light fastness
4-5 fastness to rubbing
EN 1021-1/-2 flammability




3-31 rot meliert



3-33 grau meliert



3-32 schwarz/grau meliert




3-34 schwarz


RUNNER



Character:
Meshware
High Tech fiber
breathable and elastic
100% polyester
510 g weight per linear meter
160 cm width
70000 rubs (Martindale)
(10 years warranty)
5 light fastness
4-5 fastness to rubbing
EN 1021-1/-2 flammability




3-12 rot




3-13 orange




3-14 kiwi



3-15 gletscher



3-16 weiß



3-11 grau



3-17 anthrazit




3-10 schwarz

TALE



Mesh back and front back padding, only model R22


Character:
Handcrafted mesh, nature-inspired melange effect, soft feel. Colour-coordinated with Tonal. 100% recycled polyester, 365 g/lfm weight, 140 cm width, 100,000 abrasion cycles, 6-8 light fastness, 4-5 (dry), 4-5 (wet), rub fastness, EN 1021-1/-2 flammability




3-04 weißgrau




3-05 hellblau




3-72 blau



3-06 grün



3-71 rot



3-70 grau



3-07 anthrazit



3-08 schwarz

TONAL




Seat cushion and backrest cushion, only model R22

Character:
Dynamic and lively look with a melange effect and excellent stretchability. Colour-coordinated with Tale. 100% recycled polyester, 315 g/lfm weight, 140 cm width, 100,000 abrasion cycles, 6-8 light fastness, 4-5 (dry), 4-5 (wet), rub fastness, EN 1021-1/-2 flammability



3-35 beige




3-53 hellblau




3-36 blau



3-56 grün



3-52 rot



3-51 grau



3-38 anthrazit



3-39 schwarz

ROVO FABRICS


FABRIC GROUP 4

EXTREMO



Character:

Very strong crepe weave for 24-h use
50% Polyamid, 33% virgin wool,
10% Visil, 7% Viskose
610 g weight per linear meter
140 cm width, 500000 rubs (Martindale)
(10 years warranty), 6 light fastness
4 (dry), 4 (wet), fastness to rubbing
EN 1021-1/-2 flammability
BS 7176 Medium Hazard,
BS 5852 fire retardant




4-70 rot



4-71 multi



4-72 blau




4-73 schwarz

IMITATION LEATHER 24 H



Character:

Imitation leather with a fine leather look,
740 g/m² weight, 140 cm width, easy care,
REACH compliant, vegan, waterproof.
Free from AZO/CFC/PCP/PCB/PCT, UV resistant,
resistant to sweat, urine, saliva, salt water,
tear-resistant, skin-friendly, phthalate-free
≥ 300,000 abrasion cycles
6 light fastness, flame retardant DIN ISO 1021
Part 1 + 2, BS 5852 Crib 0 + 1, IMO FTPC Part 8,
FMVSS 302.



4-60 schwarz

SYNERGY



Character:

A soft handle wool blend fabric, fea-
turing exquisite fibre dyed shades and
sumptuous piece dyed solids
95% Virgin Wool, 5% polyamide
560 g weight per linear meter
140 cm width,
100000 rubs (Martindale)
(10 years warranty), 5 light fastness
4 (dry), 4 (wet) fastness to rubbing
EN 1021-1/-2 flammability
BS 7176, NF D 60-013



4-85 weinrot



4-84 blau



4-83 dunkelblau



4-81 grau



4-80 anthrazit



4-82 schwarz

FABRIC GROUP 5

SPECIAL LEATHER



Black pigmented Nappa
leather for models XP, XL



5-04 schwarz

FABRIC GROUP 5


SEMIANILIN LEATHER




Pigmented
Nappa leather.
Further colors
upon request.



5-00 rubinrot




5-03 cognac



5-60 aubergine



5-61 blau




5-63 braun



5-02 grau



5-64 schwarz



5-68 weiß

FABRIC GROUP 7

PREMIUM LEATHER



Finest Nappa Premium-leather
- natural
- soft touch
- breathable
- without any chemical solvents.


For models XZ (further models upon request).



7-05 mittelbraun



7-03 schwarz



7-06 schwarz gelocht


SOLO

3D-WOVEN



Character:


3D-woven fabric upholstery
100% polyamide
40.000 rubs (Martindale)
4 light fastness
4-5 fastness to rubbing
Flame-retardant
DIN EN 1021




3-48 rot




3-47 blau



3-46 kiwi



3-49 grau



3-50 anthrazit



3-45 schwarz

SENSO




Character:


Imitation leather with light wrinkles
88% PVC, 12% PES/BW-fabrics,
670 g/m2 weight, 140 cm width
150000 rubs (Martindale),
without AZO/FCKW/PCP/PCB/PCT
meets the REACH
- easy to clean
- soft supple
- good touch and elastic
- abrasion resistant
- tear resistant
- urine and blood resistant
- resistant to desinfektions




3-78 rot




3-77 blau




3-76 kiwi



3-79 grau



3-75 schwarz



3-74 carbon